

A photograph of a modern interior space. On the left, a tall green plant in a grey pot stands next to a white pillar. In the center, a black metal side table holds a round, dark ceramic lamp with a white shade. To the right, a portion of a grey sofa with a light blue blanket and a teal cushion is visible. The background wall features a grid of light-colored MDF mouldings. The floor is made of light wood in a herringbone pattern.

**SAM**®  
HOME OF MDF MOULDINGS

## STOCK LISTING

Over 250 profiles available  
ISSUE 2


[SHOP.SAMMOULDINGS.CO.UK](https://shop.sammouldings.co.uk)

## Fast track delivery – over 250 profiles always available.

The SAM stock range has been carefully chosen to give you a wide selection of the most popular, in demand products on the market.

Choose from a range of skirting, architrave, window board, door lining, decorative mouldings and wall panelling.

Whether you are designing a contemporary or traditional space, we have high quality MDF profiles to suit all tastes.



Skirting & Architrave



### Skirting & Architrave

#### SAM23

Pencil Round One Edge

Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	44	2.1	Primed
14.5	44	4.2	Primed
14.5	44	4.2	Fully Finished (SAM Zero)
14.5	69	4.2	Primed
14.5	94	4.2	Primed
14.5	94	4.2	Fully Finished (SAM Zero)
14.5	119	4.2	Primed
18	44	4.2	Primed
18	69	4.2	Primed
18	94	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed
12	44	5.49	Primed
12	94	5.49	Primed
14.5	44	5.49	Primed
14.5	57	5.49	Primed
14.5	69	5.49	Primed
14.5	94	5.49	Primed
14.5	119	5.49	Primed
14.5	144	5.49	Primed
18	44	5.49	Primed
18	57	5.49	Primed
18	69	5.49	Primed
18	94	5.49	Primed
18	119	5.49	Primed
18	144	5.49	Primed



#### SAM24

Pencil Round Two Edge

Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	44	4.2	Primed
14.5	69	4.2	Primed
12	44	5.49	Primed
12	69	5.49	Primed
14.5	69	5.49	Primed
18	57	5.49	Primed

**SAM01**

Square Edge

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	4.2	Primed
14.5	119	4.2	Primed
12	97	5.49	Primed
14.5	94	5.49	Primed
14.5	100	5.49	Primed
14.5	119	5.49	Primed
14.5	144	5.49	Primed
18	44	5.49	Primed
18	69	5.49	Primed
18	94	5.49	Primed
18	100	5.49	Primed
18	119	5.49	Primed
18	144	5.49	Primed

**SAM04**

Square Edge

Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	2.1	Primed
18	94	2.4	Primed
14.5	44	4.2	Primed
14.5	69	4.2	Primed
18	44	4.2	Primed
18	69	4.2	Primed
18	94	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed
12	32	5.49	Primed
12	44	5.49	Primed
12	69	5.49	Primed
12	97	5.49	Primed
14.5	69	5.49	Primed
14.5	94	5.49	Primed
14.5	144	5.49	Primed
18	44	5.49	Primed
18	69	5.49	Primed

**SAM09**

Torus

Moulded width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	2.1	Primed
14.5	69	4.2	Primed
14.5	94	4.2	Primed
18	57	4.2	Primed
18	69	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed
18	169	4.2	Primed
14.5	57	5.49	Primed
14.5	69	5.49	Primed
14.5	94	5.49	Primed
14.5	119	5.49	Primed
14.5	194	5.49	Primed
18	69	5.49	Primed
18	119	5.49	Primed
18	144	5.49	Primed

**SAM3166**

Torus

Moulded width: 33mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	2.1	Fully finished (SAM Zero)
18	119	4.2	Fully finished (SAM Zero)
18	144	4.2	Fully finished (SAM Zero)
18	169	4.2	Fully finished (SAM Zero)

**SAM93**

Ogee

Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	2.1	Primed
18	57	4.2	Primed
18	69	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed
18	169	4.2	Primed
14.5	69	5.49	Primed
14.5	94	5.49	Primed
14.5	144	5.49	Primed
18	69	5.49	Primed
18	94	5.49	Primed
18	119	5.49	Primed
18	144	5.49	Primed
18	169	5.49	Primed

**SAM90**

Ogee

Moulded width: 37mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	2.1	Fully finished (SAM Zero)
18	144	4.2	Fully finished (SAM Zero)
18	169	4.2	Fully finished (SAM Zero)

**SAM15**

Ogee

Moulded width: 42mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	69	4.2	Primed
14.5	94	4.2	Primed
14.5	119	4.2	Primed
14.5	144	4.2	Primed

**SAM97**

Ogee

Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	69	5.49	Primed
14.5	144	5.49	Primed

**SAM98**

Ogee &amp; Bead

Moulded width: 26mm / Bead width: 14mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	69	5.49	Primed
14.5	94	5.49	Primed

**Ordering samples**

We understand that it is important to see a physical sample of the product before placing an order. For this reason, we keep all our stock profiles (in at least one size) in the sample store to ensure quick delivery.

You can order samples on our website via the sample page. You can order up to 5 samples free of charge, further samples will require payment.

**Placing an order**

It is now even easier to order our products directly to your door. Simply visit our website: [shop.sammouldings.co.uk](http://shop.sammouldings.co.uk), open an account and place your order.

**Trade Account**

If you are interested in opening a trade account with us, please contact [shop@sammouldings.co.uk](mailto:shop@sammouldings.co.uk) for more information.

**SAM22**

Chamfer &amp; Round

Chamfer width: 32mm




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	44	4.2	Primed
14.5	69	4.2	Primed
14.5	94	4.2	Primed
14.5	119	4.2	Primed
18	69	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed
14.5	69	5.49	Primed
14.5	94	5.49	Primed
14.5	119	5.49	Primed
14.5	144	5.49	Primed
18	69	5.49	Primed
18	94	5.49	Primed
18	119	5.49	Primed
18	144	5.49	Primed
18	169	5.49	Primed

**SAM26**

Chamfer &amp; Round

Chamfer width: 38mm




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	5.49	Primed
18	94	5.49	Primed
18	119	5.49	Primed
18	144	5.49	Primed

**SAM1959**

Chamfer &amp; Round

Moulded width: 23mm




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	2.1	Fully finished (SAM Zero)
18	144	4.2	Fully finished (SAM Zero)
18	169	4.2	Fully finished (SAM Zero)

**SAM5061**

Chamfered

Chamfer dimensions (mm): 6 x 6




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	4.2	Primed
18	94	4.2	Primed
18	119	4.2	Primed

**SAM5062**

Chamfered

Chamfer dimensions (mm): 10 x 10




THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	4.2	Primed
18	94	4.2	Primed
18	119	4.2	Primed

**SAM5059**

Single Groove

Groove dimensions (mm): 5 x 5 (20mm from edge)



THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	69	4.2	Primed
18	69	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed

**SAM5060**

Single Groove

Groove dimensions (mm): 15 x 5 (20 mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed

**SAM27**

Ovolo

Moulded width: 35mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	57	4.2	Primed
14.5	69	4.2	Primed
14.5	94	4.2	Primed
14.5	119	4.2	Primed
14.5	144	4.2	Primed
18	57	4.2	Primed
18	69	4.2	Primed
18	69	4.2	Fully Finished (SAM Zero)
18	119	4.2	Primed
18	119	4.2	Fully Finished (SAM Zero)
18	144	4.2	Fully Finished (SAM Zero)
18	169	4.2	Fully Finished (SAM Zero)
14.5	57	5.49	Primed
14.5	94	5.49	Primed
14.5	119	5.49	Primed

**SAM20**

Bullnose

Radius: 10mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	44	2.1	Primed
14.5	69	4.2	Primed
14.5	94	4.2	Primed

**SAM29**

Bullnose

Radius: 20mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	44	2.1	Primed
14.5	44	4.2	Primed
14.5	69	4.2	Primed
14.5	94	4.2	Primed
18	69	4.2	Primed
18	119	4.2	Primed

**SAM1855**

Bullnose

Radius: 17mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	2.1	Fully finished (SAM Zero)
18	144	4.2	Fully finished (SAM Zero)
18	169	4.2	Fully finished (SAM Zero)

**SAM4288**

Round &amp; V-Groove

Radius: 2mm / V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	69	4.2	Primed
14.5	119	4.2	Primed
18	69	4.2	Primed
18	144	4.2	Primed

**SAM2975**

Chamfer &amp; Single V-Groove

Chamfer dimensions (mm): 5 x 5

V-Groove dimensions (mm): (w)6 x (d)3

SAM2984 is the skirting board

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	5.49	Primed
18	69	5.49	Primed

**SAM2984**


Chamfer &amp; Double V-Groove

Chamfer dimensions (mm): 5 x 5

V-Groove dimensions (mm): (w)6 x (d)3

SAM2975 is the architrave

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	119	5.49	Primed

**SAM28**

Lambs Tongue

Moulded width: 34mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed

**SAM10**

Moulded

Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	69	5.49	Primed
18	94	5.49	Primed
18	119	5.49	Primed
18	144	5.49	Primed

**SAM5219**

Chamfer Stepped

Moulded width: 50mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
22	69	5.49	Primed
22	144	5.49	Primed

**SAM4887**

Edwardian

Moulded width: 51.5mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	94	5.49	Primed
18	144	5.49	Primed

**SAM3518**

Georgian

Moulded width: 48mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	94	4.4	Primed
18	144	4.2	Primed

**SAM3525**

Victorian

Moulded width: 93.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	100	4.2	Primed

**SAM3526**

Victorian  
Moulded with: 110mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	180	4.2	Primed

**SAM502**

Hockey Stick

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	32	5.49	Primed

**Dual Purpose Skirting**

Architrave options are shown previously

**SAM2156**

Dual Purpose: Torus (SAM09) / Ogee (SAM93)  
Moulded width: 32mm / Moulded width: 45mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	119	4.2	Primed
18	144	4.2	Primed
18	169	4.2	Primed
18	219	4.2	Primed
18	244	4.2	Primed

**SAM2285**

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)  
Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	119	4.2	Primed
18	144	4.2	Primed

**SAM2574**

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)  
Chamfer width: 32mm / Radius: 6mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	4.2	Primed
14.5	144	4.2	Primed

**SAM5378**

Dual Purpose: Ovolo (SAM27) / Round & V-Groove (SAM4288)  
Moulded width: 35mm / Radius: 2mm & V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	119	4.2	Primed

**SAM5379**

Dual Purpose: Grooved (SAM5059) / Round & V-Groove (SAM4288)  
Groove dimensions (mm): 5 x 5 (20mm from edge) / Radius: 2mm & V-Groove dimensions (mm): (w)3 x (d)3

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	4.2	Primed
14.5	119	4.2	Primed
14.5	144	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed



**SAM5381**

Dual Purpose: Pencil Round (SAM23) / Ovolo (SAM27)

Radius: 6mm / Moulded width: 35mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	4.2	Primed
14.5	119	4.2	Primed

**SAM5383**

Dual Purpose: Square Edge (SAM04) / Grooved (SAM5059)

Radius: 1.5mm / Groove dimensions (mm): 5 x 5 (20mm from edge)

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	119	4.2	Primed
18	144	4.2	Primed

**SAM5439**

Dual Purpose: Ogee (SAM93) / Ogee (SAM97)

Moulded width: 44mm / Moulded width: 26mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	5.49	Primed
14.5	119	5.49	Primed
14.5	144	5.49	Primed

**SAM5440**

Dual Purpose: Torus (SAM09) / Chamfer &amp; Round (SAM22)

Moulded width: 32mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	4.2	Primed
14.5	119	4.2	Primed
14.5	144	4.2	Primed

**SAM5441**

Dual Purpose: Ovolo (SAM27) / Bullnose (SAM29)

Moulded width: 35mm / Radius: 20mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
14.5	94	4.2	Primed
14.5	119	4.2	Primed
14.5	144	4.2	Primed

**SAM5442**

Dual Purpose: Chamfer (SAM5061) / Chamfer &amp; Round (SAM22)

Chamfer width: 6mm / Chamfer width: 32mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	94	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed

**SAM5443**

Dual Purpose: Square Edge (SAM04) / Pencil Round (SAM23)

Radius: 1.5mm / Radius: 5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
12	94	5.49	Primed
14.5	94	4.2	Primed
14.5	119	4.2	Primed
14.5	144	4.2	Primed
18	94	4.2	Primed
18	119	4.2	Primed
18	144	4.2	Primed

## Internal Cladding & Panelling

### SAM3012

Tongue &amp; Groove

TG&amp;V

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
12	94	0.9	Fully finished (SAM Zero)
9	94	2.44	Fully finished (SAM Zero)
9	144	2.44	Fully finished (SAM Zero)

### SAM01

Square Edge

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
12	97	5.49	Primed
14.5	94	5.49	Primed

### SAM04

Square Edge

Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
12	32	5.49	Primed
12	44	5.49	Primed
12	69	5.49	Primed
12	97	5.49	Primed
14.5	69	5.49	Primed
14.5	94	5.49	Primed

## Window Board

### SAM50

Window Board

Bullnosed &amp; Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	194	5.49	Primed
18	219	5.49	Primed
18	244	5.49	Primed

### SAM52

Window Board

Bullnosed &amp; Rebated

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
25	194	3.66	Primed
25	219	3.66	Primed
25	244	3.66	Primed
25	269	3.66	Primed
25	294	3.66	Primed
25	194	5.49	Primed
25	219	5.49	Primed
25	244	5.49	Primed
25	269	5.49	Primed
25	294	5.49	Primed

### SAM53

Extra Wide Window Board

Bullnosed

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
25	345	3.66	Primed
25	394	3.66	Primed

## Door linings & stops



### **SAM04 (Set)**

Square Edge adjustable door lining set  
2 legs and adjustable head supplied with door stops to suit  
Suitable for all standard door sizes

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
25	108	—	Primed
25	132	—	Primed



### **SAM04 (Lining)**

Square Edge door lining  
Radius: 1.5mm


THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
25	94	2.1	Primed
25	155	2.1	Primed



### **SAM04 (Stop)**

Square Edge door stop  
Radius: 1.5mm

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
12	32	5.49	Primed
12	44	5.49	Primed
12	97	5.49	Primed



## Decorative Mouldings

### **SAM3031**

Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
18	115	5.49	Primed


### **SAM3770**

Cornice

THICKNESS (MM)	WIDTH (MM)	LENGTH (M)	FINISH
12	77	5.49	Primed

## SAM MDF mouldings imperial to metric conversion chart

NOMINAL IMPERIAL	SAM FINISHED SIZE METRIC
2 inches	44mm
2 1/4 inches	57mm
3 inches	69mm
4 inches	94mm
5 inches	119mm
6 inches	144mm
7 inches	169mm
8 inches	194mm
9 inches	219mm
10 inches	244mm
11 inches	269mm
12 inches	294mm



**SAM**®  
HOME OF MDF MOULDINGS



T: +44 (0)28 9442 8288

[SHOP.SAMMOULDINGS.CO.UK](http://SHOP.SAMMOULDINGS.CO.UK)