

# NOW AVAILABLE IN OAK

# **KwikStairs**

## THE EASY WAY TO MAKE AND FIT STAIRS

INSTANT FLAT PACKED STAIRS TO FIT ANYWHERE

**IN STOCK  
NOW!**



**KwikNewel**

**NEW  
EASY  
TO FIT**

**NEW**




TECHNICAL HELPLINE:  
**07999 579729**

ONLINE:  
**www.kwikstairs.co.uk**

# How KwikStairs Works

Oak kits have hidden fixings

1.



Measure your floor to floor


2.

13 TREADS INCLUDING NOSING

FLOOR TO FLOOR mm		TREADS
2641	- 2650	E
mm	mm	mm
mm	mm	mm


Use measurement for template letter

3.



Cut template to letter

4.



Template shows you where to fix support blocks

Now available in

# OAK


Need a  
Newel Post?  
see page 7



# How KwikStairs Works


Oak kits have hidden fixings

5.




Flip template over for  
opposite string

6.




Fit treads and risers

7.



Fit squeaker blocks

8.



Finished staircase



Now available in

# OAK

Need a  
Newel Post?  
see page 7







[www.kwikstairs.co.uk](http://www.kwikstairs.co.uk)

# How KwikStairs Works

## Winder box

Oak kits have hidden fixings



Now available in

**OAK**

**Need a  
Newel Post?**  
see page 7





# Why KwikStairs?

A flat packed staircase ready to construct and install today, so simple its easy!

This revolutionary stair kit is the easy way to make domestic stairs.

- The only universal flat pack stair kit in the world.
- Buy straight off the shelf at all good builders merchants
- Available flat packed with everything you will need to construct
- Any floor to floor measurement ( 1781mm + )
- Fits all situations, straight, single, double winders, 'S' shape, ¼ landing, ½ half landing
- A carefully designed template allows you to construct the stairs in your own time
- No lead time required, ready today
- Easy to follow instructions
- Very cost effective
- Cheaper than a traditional staircase
- Buy, assemble and fit within a day
- Strong and durable
- Easy to fit
- Help videos on website if needed
- Straight flight in under 2 hours
- Single winder in under 3 hours
- Double winder in under 4 hours
- FSC Certified
- 798 possible designs of stairs using any of the 3 Kwikstairs flat pack kits available, as detailed in this brochure



## Using the QR Codes




Scan in the QR codes provided to watch the 'how kwik stairs works' videos. You'll need an app on your smartphone that can read QR codes.




# KwikStairs

## The Bull Nose Kit



### A KwikStairs BULLNOSE KIT COMPRISES OF

- 1x Stub Newel Post
- 1x Bullnose Tread (reversible)
- 1x Curved Riser
- Support Blocks
- Squeaker Blocks
- Glue, Screws
- Instructions



**1 kit will make either a lefthand  
or righthand Bullnose**

Now available in

**OAK**

**Look out  
for Bulley**  
for your bullnose option



# KwikNewel

**NEW**

## SOFTWOOD


EASY TO FIT



**CAN BE FITTED ANYWHERE ON A STAIRCASE**

## OAK

EASY TO FIT



Now available in

# OAK

## Newel Post Options



[www.kwikstairs.co.uk](http://www.kwikstairs.co.uk)

 **KwikStairs**

# OAK KITS

## Hidden fixings

All screwed from underneath

## Oak Treads

Oak layer 2-4mm to both faces  
with solid oak nosing  
(MDF centre core)

## Oak Veneered Risers


(19mm MDF)

## Solid Oak Strings

(Blockboard Construction)

## Solid Oak Newel

(Blockboard Core)



 **KwikStairs**

**ARE HERE!**



**ALL  
DESIGNS  
IN THIS  
CATALOGUE**

Available in Oak

**NEED TO CALL US?**

**07999 579727**

**[www.kwikstairs.co.uk](http://www.kwikstairs.co.uk)**



# THE KwikStairs GUIDE

- 1) MEASURE THE LOWER FINISHED FLOOR TO UPPER FINISHED FLOOR WHERE YOUR STAIRS WILL EVENTUALLY FIT
- 2) USE THE TREAD GUIDE TO FIND THE NUMBER OF TREADS YOU WILL NEED INCLUDING THE NOSING should you not be able to find your finished floor to finished floor measurement below then use the calculator in the technical information to obtain it

FINISHED FLOOR TO FINISHED FLOOR MEASUREMENT	NO. OF TREADS INC NOSING
1781mm-1980mm	9
1981mm-2200mm	10
2201mm-2420mm	11
2421mm-2640mm	12
2641mm-2860mm	13
2861mm-3080mm	14
(14 or more treads must include a winder box)	

- 3) THE GRAPHICS IN THIS BROCHURE ARE ALL BASED ON A 13 TREAD STAIRCASE. SHOULD YOUR FLOOR TO FLOOR MEASUREMENT GIVE YOU A DIFFERENT NUMBER OF TREADS THEN YOU WILL NEED TO ADJUST THE MEASUREMENTS AS SHOWN WITH THE GRAPHICS BY 245mm PER TREAD SHOULD YOU NEED MORE OR LESS THAN THE 13 SHOWN
- 4) ALL WIDTH MEASUREMENTS ARE FROM THE OUTSIDE EDGE OF EACH STRING
- 5) ALL LENGTH MEASUREMENTS ARE FROM THE FRONT FACE OF THE FIRST RISER TO THE TRIMMER OR OUTSIDE EDGE OF THE JOINING WINDER BOX, AND OUTSIDE EDGE OF THE WINDER BOX TO THE TRIMMER OR OUTSIDE EDGE OF THE JOINING WINDER BOX
- 6) YOU NEED TO DECIDE ON THE WIDTH OF YOUR STAIRCASE.  
< 900mm FOR A KWIK STAIRS STRAIGHT FLIGHT  
OR 900mm, 850mm, 800mm, 750mm, 700mm, 650mm FOR ANY KWIK STAIRS WINDING COMBINATION.
- 7) MEASURE THE SPACE AVAILABLE TO YOU FOR WHERE YOU WOULD LIKE YOUR STAIRS
- 8) DECIDE ON THE STYLE OF STAIRCASE THAT YOU WANT
- 9) TURN TO THAT SECTION WITHIN THE BROCHURE
- 10) LOOK AT ALL THE STYLES AND MEASUREMENTS FOR YOUR CHOSEN WIDTH OF STAIRS.
- 11) IS THERE A STYLE THAT WILL FIT THE SPACE AVAILABLE TO YOU?  
  
YES, GREAT, PURCHASE YOUR KWIK STAIRS NOW.  
  
NO, CAN YOU REDUCE THE WIDTH OF YOUR STAIRS TO MAKE THEM FIT?  
  
NO, CAN YOU ADD A WINDER BOX TO YOUR STAIRS TO MAKE THEM FIT?  
  
NO, CAN YOU ADD A WINDER BOX IN AN OPPOSITE DIRECTION TO YOUR STAIRS TO MAKE THEM FIT?
- 12) HAVING A PROBLEM? THEN VISIT THE WEB SITE FOR OUR HELPLINE



## STRAIGHT FLIGHT

1 x straight flight pack with 13 treads including the nosing, < 900mm wide

## FLAT LANDING OPTIONS

< 900mm wide




## SINGLE WINDER (QUARTER TURN)

1 x straight flight pack with 13 treads including the nosing, < 900mm wide

+

1 x winder box pack supplied with 3 treads, < 900mm wide, either left hand or right hand in direction



## DOUBLE WINDER (HALF TURN)


1 x straight flight pack with 13 treads including the nosing, < 900mm wide

+

1 x winder box pack supplied with 3 treads, < 900mm wide, either left hand or right hand in direction

+

1 x winder box pack supplied with 3 treads, < 900mm wide, either left hand or right hand in direction



## 'S' WINDER (OPPOSITE TURNS)

1 x straight flight pack with 13 treads including the nosing, < 900mm wide

+

1 x winder box pack supplied with 3 treads, < 900mm wide, right hand in direction

+


1 x winder box pack supplied with 3 treads, < 900mm wide, left hand in direction

# STRAIGHT FLIGHT STAIRCASE MEASUREMENTS

## STRAIGHT STAIRCASE KEY

TIP: when constructing straight flights only, Kwik Stairs can be made at any width up to 900mm wide

BASED ON A  
13 TREAD STAIRCASE  
Floor to floor 2641 - 2860mm



A

900 = 2950

850 = 2950

800 = 2950

750 = 2950

700 = 2950

650 = 2950

B

900 = 900

850 = 850

800 = 800

750 = 750

700 = 700

650 = 650

If 900mm width staircase then:

Dimension A = 2950mm

Dimension B = 900mm

To achieve this stair configuration you will require:

1 X  Straight Flight

## STRAIGHT FLIGHT STAIRCASE MEASUREMENTS

### BASED ON A 13 TREAD STAIRCASE

A  
900 = 2950  
850 = 2950  
800 = 2950  
750 = 2950  
700 = 2950  
650 = 2950



B  
900 = 900  
850 = 850  
800 = 800  
750 = 750  
700 = 700  
650 = 650

**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

1. CHOOSE THE STYLE OF STAIRCASE THAT YOU WANT
2. MEASURE THE SPACE AVAILABLE TO YOU
3. DECIDE ON THE WIDTH OF YOUR STAIRS (any < 900mm for straight flights only)
4. FIND THE CORRESPONDING WIDTH MEASUREMENT ON THE STAIR GRAPHICS
5. THIS WILL NOW GIVE YOU THE LENGTH MEASUREMENTS FOR YOUR STAIRCASE
6. DO THE MEASUREMENTS FIT WITHIN YOUR SPACE?

YES, GREAT, PURCHASE YOUR KWICKSTAIRS FLAT PACK NOW

NO, CAN YOU ADD A WINDER BOX TO YOUR STAIRS TO MAKE THEM FIT?

NO, CAN YOU ADD ANOTHER WINDER BOX TO YOUR STAIRS TO MAKE THEM FIT?

NO, CAN YOU ADD ANOTHER WINDER BOX IN OPPOSITE DIRECTIONS TO YOUR STAIRS TO MAKE THEM FIT?

7. HAVING A PROBLEM? VISIT THE WEB SITE FOR OUR HELPLINE

Now available in


OAK

Need a  
Newel Post?  
see page 7



## FLAT QUARTER LANDING

 **KwikStairs** FLAT QUARTER LANDING



Now available in

**OAK**


**Need a  
Newel Post?**  
see page 7





## FLAT HALF LANDING

 **KwikStairs** FLAT HALF LANDING



FLAT HALF LANDING

[www.kwikstairs.co.uk](http://www.kwikstairs.co.uk)

Now available in


**OAK**

**Need a  
Newel Post?**  
see page 7



# R/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

## **KwikStairs** RIGHT HAND SINGLE WINDER STAIRCASE KEY



BASED ON A

13 TREAD STAIRCASE

Floor to floor 2641 - 2860mm

Staircase width = 900mm 850mm  
800mm 750mm 700mm 650mm

A

**900 = 1912**

850 = 1862

800 = 1812

750 = 1762

700 = 1712

650 = 1662

B

**900 = 2167**

850 = 2117

800 = 2067

750 = 2017

700 = 1967

650 = 1917



If **900mm** width staircase then:

Dimension A = 1912mm

Dimension B = 2167mm



To achieve this stair configuration you will require:

1 X **KwikStairs** Straight Flight



1 X **KwikStairs** Right Hand Winder Box

# R/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in

OAK

Need a  
Newel Post?  
see page 7



RIGHT HAND SINGLE WINDER STAIRCASE

www.kwikstairs.co.uk

# R/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE

B

900 = 2167

850 = 2117

800 = 2067

750 = 2017

700 = 1967

650 = 1917



A	900	850	800	750	700	650
	1912	1862	1812	1762	1712	1662

B

900 = 1922


850 = 1872

800 = 1822

750 = 1772

700 = 1722

650 = 1672



A	900	850	800	750	700	650
	2157	2107	2057	2007	1957	1907

TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm

B

900 = 1677

850 = 1627

800 = 1577

750 = 1527

700 = 1477

650 = 1427



A	900	850	800	750	700	650
	2402	2352	2302	2252	2202	2152

B

900 = 1432


850 = 1382

800 = 1332

750 = 1282

700 = 1232

650 = 1182



A	900	850	800	750	700	650
	2647	2597	2547	2497	2447	2397

Now available in



OAK

Need a  
Newel Post?  
see page 7



# R/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

1. CHOOSE THE STYLE OF STAIRCASE THAT YOU WANT
2. MEASURE THE SPACE AVAILABLE TO YOU
3. DECIDE ON THE WIDTH OF YOUR STAIRS (900mm/850mm/800mm/750mm/700mm/650mm)
4. FIND THE CORRESPONDING WIDTH MEASUREMENT ON THE STAIR GRAPHICS
5. THIS WILL NOW GIVE YOU THE LENGTH MEASUREMENTS FOR YOUR STAIRCASE
6. DO THE MEASUREMENTS FIT WITHIN YOUR SPACE?

YES, GREAT, PURCHASE YOUR KWICKSTAIRS FLAT PACK NOW

NO, CAN YOU ADD A WINDER BOX TO YOUR STAIRS TO MAKE THEM FIT?

NO, CAN YOU ADD ANOTHER WINDER BOX TO YOUR STAIRS TO MAKE THEM FIT?

NO, CAN YOU ADD ANOTHER WINDER BOX IN OPPOSITE DIRECTIONS TO YOUR STAIRS TO MAKE THEM FIT?

7. HAVING A PROBLEM? VISIT THE WEB SITE FOR OUR HELPLINE

RIGHT HAND SINGLE WINDER STAIRCASE

www.kwickstairs.co.uk

Now available in

OAK


Need a  
Newel Post?  
see page 7





# L/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

## LEFT HAND SINGLE WINDER STAIRCASE KEY



BASED ON A

13 TREAD STAIRCASE

Floor to floor 2641 - 2860mm

Staircase width = 900mm 850mm  
800mm 750mm 700mm 650mm

A

**900 = 1912**

850 = 1862

800 = 1812

750 = 1762

700 = 1712

650 = 1662

B

**900 = 2167**

850 = 2117

800 = 2067

750 = 2017

700 = 1967

650 = 1917



If **900mm** width staircase then:

Dimension A = 1912mm

Dimension B = 2167mm



To achieve this stair configuration you will require:

1 X  Straight Flight



1 X  Left Hand Winder Box

# L/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in

**OAK**

**Need a  
Newel Post?**  
see page 7





LEFT HAND SINGLE WINDER STAIRCASE



[www.kwikstairs.co.uk](http://www.kwikstairs.co.uk)

# L/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in


OAK

Need a  
Newel Post?  
see page 7



# L/H SINGLE WINDER/QUARTER TURN STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



B
900 = 1187
850 = 1137
800 = 1087
750 = 1037
700 = 987
650 = 937

A	900	850	800	750	700	650
	2892	2842	2792	2742	2692	2642



B
900 = 942
850 = 892
800 = 842
750 = 792
700 = 742
650 = 692

A	900	850	800	750	700	650
	3137	3087	3037	2987	2937	2887

**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

1. CHOOSE THE STYLE OF STAIRCASE THAT YOU WANT
2. MEASURE THE SPACE AVAILABLE TO YOU
3. DECIDE ON THE WIDTH OF YOUR STAIRS (900mm/850mm/800mm/750mm/700mm/650mm)
4. FIND THE CORRESPONDING WIDTH MEASUREMENT ON THE STAIR GRAPHICS
5. THIS WILL NOW GIVE YOU THE LENGTH MEASUREMENTS FOR YOUR STAIRCASE
6. DO THE MEASUREMENTS FIT WITHIN YOUR SPACE?

YES, GREAT, PURCHASE YOUR KWICKSTAIRS FLAT PACK NOW

NO, CAN YOU ADD A WINDER BOX TO YOUR STAIRS TO MAKE THEM FIT?

NO, CAN YOU ADD ANOTHER WINDER BOX TO YOUR STAIRS TO MAKE THEM FIT?

NO, CAN YOU ADD ANOTHER WINDER BOX IN OPPOSITE DIRECTIONS TO YOUR STAIRS TO MAKE THEM FIT?

7. HAVING A PROBLEM? VISIT THE WEB SITE FOR OUR HELPLINE

Now available in

OAK

Need a  
Newel Post?  
see page 7



LEFT HAND SINGLE WINDER STAIRCASE


www.kwikstairs.co.uk

# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS

## **KwikStairs** RIGHT HAND DOUBLE WINDER STAIRCASE KEY

### BASED ON A 13 TREAD STAIRCASE

Floor to floor 2641 - 2860mm



TIP: Look at B measurement first as this descends in size on the following graphics

B	900	850	800	750	700	650
	1864	1764	1664	1564	1464	1364

A
900 = 1667
850 = 1617
800 = 1567
750 = 1517
700 = 1467
650 = 1417



C
900 = 1677
850 = 1627
800 = 1577
750 = 1527
700 = 1477
650 = 1427

If 900mm width staircase then:  
Dimension A = 1667mm  
Dimension B = 1864mm  
Dimension C = 1677mm

To achieve this stair configuration you will require:

1 X **KwikStairs** Straight Flight


2 X **KwikStairs** Right Hand Winder Box



# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	932	882	832	782	732	682

C	900	850	800	750	700	650
	942	892	842	792	742	692




A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927




**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



A	900	850	800	750	700	650
	932	882	832	782	732	682

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927



Now available in

**OAK**


**Need a  
Newel Post?**  
see page 7



# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172


C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	932	882	832	782	732	682


TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927

Now available in

OAK


Need a  
Newel Post?  
see page 7



# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



A	900	850	800	750	700	650
	932	882	832	782	732	682


C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417


**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927

RIGHT HAND DOUBLE WINDER STAIRCASE

www.kwikstairs.co.uk

Now available in

OAK


Need a  
Newel Post?  
see page 7



# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417


C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	1912	1862	1812	1762	1712	1662


**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1922	1872	1822	1772	1722	1672



A	900	850	800	750	700	650
	932	882	832	782	732	682

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417

Now available in

OAK

Need a  
Newel Post?  
see page 7






# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS

## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



900 = 2109

850 = 2009

800 = 1909


750 = 1809

700 = 1709

650 = 1609

A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



900 = 2109

850 = 2009

800 = 1909

750 = 1809


700 = 1709

650 = 1609

A	900	850	800	750	700	650
	1912	1862	1812	1762	1712	1662

**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1922	1872	1822	1772	1722	1672



900 = 2109

850 = 2009

800 = 1909


750 = 1809

700 = 1709

650 = 1609

A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927

C	900	850	800	750	700	650
	942	892	842	792	742	692



900 = 2109

850 = 2009

800 = 1909

750 = 1809

700 = 1709

650 = 1609

A	900	850	800	750	700	650
	2157	2107	2057	2007	1957	1907

Now available in

OAK

Need a  
Newel Post?  
see page 7






# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	2167	2117	2067	2017	1967	1917



A	900	850	800	750	700	650
	932	882	832	782	732	682


C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417


**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	1912	1862	1812	1762	1712	1662

C	900	850	800	750	700	650
	1922	1872	1822	1772	1722	1672



A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

Now available in

**OAK**


**Need a  
Newel Post?  
see page 7**



# R/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



A	900	850	800	750	700	650
	2157	2107	2057	2007	1957	1907


C	900	850	800	750	700	650
	2167	2117	2067	2017	1967	1917



A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927


**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	2402	2352	2302	2252	2202	2152

C	900	850	800	750	700	650
	2412	2362	2312	2262	2212	2162



A	900	850	800	750	700	650
	932	882	832	782	732	682

Now available in


OAK

Need a  
Newel Post?  
see page 7



# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS

## **KwikStairs** LEFT HAND DOUBLE WINDER STAIRCASE KEY BASED ON A 13 TREAD STAIRCASE



B	900	850	800	750	700	650
	1864	1764	1664	1564	1464	1364

A

C

$$900 = 1667$$

$$850 = 1617$$

$$800 = 1567$$

$$750 = 1517$$

$$700 = 1467$$

$$650 = 1417$$



$$900 = 1677$$

$$850 = 1627$$

$$800 = 1577$$

$$750 = 1527$$

$$700 = 1477$$

$$650 = 1427$$

If 900mm width staircase then:

Dimension A = 1667mm

Dimension B = 1864mm

Dimension C = 1677mm

To achieve this stair configuration you will require:

1 X **KwikStairs** Straight Flight

2 X **KwikStairs** Left Hand Winder Box



# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS

## BASED ON A 13 TREAD STAIRCASE



LEFT HAND DOUBLE WINDER STAIRCASE

www.kwikstairs.co.uk

33



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in

OAK

Need a  
Newel Post?  
see page 7





# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS

## BASED ON A 13 TREAD STAIRCASE


C	900	850	800	750	700	650
	942	892	842	792	742	692



B	
900	= 2844
850	= 2744
800	= 2644
750	= 2544
700	= 2444
650	= 2344

A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182




B	
900	= 2844
850	= 2744
800	= 2644
750	= 2544
700	= 2444
650	= 2344

A	900	850	800	750	700	650
	932	882	832	782	732	682

**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**


C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



B	
900	= 2599
850	= 2499
800	= 2399
750	= 2299
700	= 2199
650	= 2099

A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



B	
900	= 2599
850	= 2499
800	= 2399
750	= 2299
700	= 2199
650	= 2099

A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927

Now available in

OAK

Need a  
Newel Post?  
see page 7






# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



A	900	850	800	750	700	650
	932	882	832	782	732	682


C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417


TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927

LEFT HAND DOUBLE WINDER STAIRCASE

www.kwikstairs.co.uk

Now available in

OAK


Need a  
Newel Post?  
see page 7



# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417


C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	1912	1862	1812	1762	1712	1662


**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1922	1872	1822	1772	1722	1672



A	900	850	800	750	700	650
	932	882	832	782	732	682

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417

Now available in

**OAK**


**Need a  
Newel Post?  
see page 7**



# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172


C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937



A	900	850	800	750	700	650
	1912	1862	1812	1762	1712	1662


**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1922	1872	1822	1772	1722	1672



A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927

C	900	850	800	750	700	650
	942	892	842	792	742	692



A	900	850	800	750	700	650
	2157	2107	2057	2007	1957	1907

LEFT HAND DOUBLE WINDER STAIRCASE

www.kwikstairs.co.uk

Now available in

OAK


Need a  
Newel Post?  
see page 7



# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS


## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	2167	2117	2067	2017	1967	1917



A	900	850	800	750	700	650
	932	882	832	782	732	682


C	900	850	800	750	700	650
	1677	1627	1577	1527	1477	1427



A	900	850	800	750	700	650
	1667	1617	1567	1517	1467	1417


**TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm**

C	900	850	800	750	700	650
	1432	1382	1332	1282	1232	1182



A	900	850	800	750	700	650
	1912	1862	1812	1762	1712	1662

C	900	850	800	750	700	650
	1922	1872	1822	1772	1722	1672



A	900	850	800	750	700	650
	1422	1372	1322	1272	1222	1172

Now available in

**OAK**

**Need a  
Newel Post?  
see page 7**






# L/H DOUBLE WINDER/HALF TURN STAIRCASE MEASUREMENTS

## BASED ON A 13 TREAD STAIRCASE

C	900	850	800	750	700	650
	1187	1137	1087	1037	987	937


B



A	900	850	800	750	700	650
	2157	2107	2057	2007	1957	1907

C	900	850	800	750	700	650
	2167	2117	2067	2017	1967	1917

B




A	900	850	800	750	700	650
	1177	1127	1077	1027	977	927

TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm

C	900	850	800	750	700	650
	942	892	842	792	742	692


B



A	900	850	800	750	700	650
	2402	2352	2302	2252	2202	2152

C	900	850	800	750	700	650
	2412	2362	2312	2262	2212	2162

B



A	900	850	800	750	700	650
	932	882	832	782	732	682

LEFT HAND DOUBLE WINDER STAIRCASE

www.kwikstairs.co.uk

Now available in

OAK

Need a  
Newel Post?  
see page 7






# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

## **KwikStairs** 'S' SHAPE STAIRCASE KEY

**BASED ON A 13  
TREAD STAIRCASE**  
Floor to floor 2641 - 2860mm

**RIGHT HAND  
TO  
LEFT HAND**

TIP: Look at B  
measurement  
first as this  
descends in size  
on the follow-  
ing graphics



Horizontal  
dimension

**B** Horizontal  
dimension

Staircase width =  
900mm 850mm  
800mm 750mm  
700mm 650mm

**A**

**900 = 1912**

850 = 1862

800 = 1812

750 = 1762

700 = 1712

650 = 1662

**C**

**900 = 1432**

850 = 1382

800 = 1332

750 = 1282

700 = 1232

650 = 1182



If **900mm** width staircase then:

Dimension A = 1912mm

Dimension B = 1864mm

Dimension C = 1432mm

B	900	850	800	750	700	650
	<b>1864</b>	1764	1664	1564	1464	1364

To achieve this stair configuration you will require:



1 X  **KwikStairs** Straight Flight

1 X  **KwikStairs** Right Hand Winder Box



1 X  **KwikStairs** Left Hand Winder Box

# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in

OAK

Need a  
Newel Post?  
see page 7





RIGHT HAND/LEFT HAND 'S' SHAPE WINDER



www.kwikstairs.co.uk

# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm





Now available in  
**OAK**

Need a  
Newel Post?  
see page 7





# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in

OAK

Need a  
Newel Post?  
see page 7





RIGHT HAND/LEFT HAND 'S' SHAPE WINDER

www.kwikstairs.co.uk





# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in

OAK



Need a  
Newel Post?  
see page 7







# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

## BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in



OAK

Need a  
Newel Post?  
see page 7





# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



RIGHT HAND/LEFT HAND 'S' SHAPE WINDER

www.kwikstairs.co.uk

Now available in



OAK

Need a  
Newel Post?  
see page 7





# 'S' WINDER (R/H - L/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



RIGHT HAND/LEFT HAND 'S' SHAPE WINDER

www.kwikstairs.co.uk

Now available in

OAK

Need a  
Newel Post?  
see page 7




# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

## KwikStairs 'S' SHAPE STAIRCASE KEY

BASED ON A 13TREAD STAIRCASE

Floor to floor 2641 - 2860mm

TIP: Look at B measurement first as this descends in size on the following graphics



C

900 = 1677

850 = 1627

800 = 1577

750 = 1527

700 = 1477

650 = 1427



900 = 1667

850 = 1617

800 = 1567

750 = 1517

700 = 1467

650 = 1417

If 900mm width staircase then:

Dimension A = 1667mm

Dimension B = 1864mm

Dimension C = 1677mm

B	900	850	800	750	700	650
	1864	1764	1664	1564	1464	1364

To achieve this stair configuration you will require:

1 X KwikStairs Straight Flight

1 X KwikStairs Left Hand Winder Box

1 X KwikStairs Right Hand Winder Box

Now available in

OAK



Need a  
Newel Post?  
see page 7







# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



LEFT HAND / RIGHT HAND 'S' SHAPE WINDER

www.kwikstairs.co.uk

Now available in

OAK



Need a  
Newel Post?  
see page 7







# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in



**OAK**

Need a  
Newel Post?  
see page 7





# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in



OAK

Need a  
Newel Post?  
see page 7





# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in



OAK

Need a  
Newel Post?  
see page 7





# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in

OAK


Need a  
Newel Post?  
see page 7






# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

BASED ON A 13 TREAD STAIRCASE




B	900	850	800	750	700	650
	2109	2009	1909	1809	1709	1609




B	900	850	800	750	700	650
	1864	1764	1664	1564	1464	1364

TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



B	900	850	800	750	700	650
	1864	1764	1664	1564	1464	1364



B	900	850	800	750	700	650
	1864	1764	1664	1564	1464	1364

Now available in

OAK



Need a  
Newel Post?  
see page 7







# 'S' WINDER (L/H - R/H) STAIRCASE MEASUREMENTS

## BASED ON A 13 TREAD STAIRCASE



TO ADD OR MINUS A TREAD ALTER THE APPROPRIATE MEASUREMENT BY 245mm



Now available in


OAK

Need a  
Newel Post?  
see page 7



## DOMESTIC STAIRS CALCULATOR

### MEASURE THE LOWER FINISHED FLOOR TO UPPER FINISHED FLOOR



This is the measurement needed for the height of the stairs. From the finished surface of the floor where the stair (lower floor) is to start to the finished surface of the next floor where the stair is to end (upper floor).

### USE THE TREAD CALCULATOR TO FIND THE NUMBER OF TREADS YOU WILL NEED INCLUDING THE NOSING

FINISHED FLOOR TO FINISHED FLOOR MEASUREMENT	NO. OF TREADS INC NOSING
1781mm-1980mm	9
1981mm-2200mm	10
2201mm-2420mm	11
2421mm-2640mm	12
2641mm-2860mm	13
2861mm-3080mm	14
<i>(14 or more treads must include a winder box)</i>	

Look for your finished floor to finished floor measurement and this will advise you on how many treads your staircase will require including the nosing.


Should you not be able to find your finished floor to finished floor measurement above then use the following calculation to obtain it; for KWIK STAIRS only.

#### Example:

Finished floor to finished floor measurement in mm	=	1590mm
Divide by 220mm	=	7.22
If a partial figure, round up to the next whole figure	=	8
Total number of treads required including the nosing	=	8

## KwikStairs DOMESTIC STAIRS CALCULATOR

### CALCULATE THE SPACE REQUIRED FOR YOUR STAIRCASE



All calculations start from the lower floor and work upwards.


**GOING** - The measurement between the front of the riser on the lower tread to the front of the riser on the upper tread. ALWAYS 245mm

**TOP RISER** - This is the very last top riser fitted on site that the nosing sits on. ALWAYS 10mm

Every measurement length given is always to the front face of the riser.

No allowance has been made for the small 20mm bull-nose overhang on your bottom tread.

### WINDER BOX




**WINDER BOX** - This can be either a left hand or right hand in direction. The kit comes in its largest form but is detailed to show six standard widths. Each box is aesthetically designed so that any adjoining straight flight meets the centre of the winder box newel post. Therefore every winder box is 32mm larger than the width of the adjoining straight flight.

650mm wide staircase	=	682mm x 682mm winder box size
700mm wide staircase	=	732mm x 732mm winder box size
750mm wide staircase	=	782mm x 782mm winder box size
800mm wide staircase	=	832mm x 832mm winder box size
850mm wide staircase	=	882mm x 882mm winder box size
900mm wide staircase	=	932mm x 932mm winder box size

## KwikStairs DOMESTIC STAIRS CALCULATOR

### CALCULATING A STRAIGHT FLIGHT




Multiply the number of treads that you need by the going (245mm)  
Add that to the nosing (10mm)  
This shows you the total length for your straight flight staircase.

#### Example:

Floor to floor	=	2660mm
Number of Treads	=	13 including the nosing
Depth of treads 245mm	=	$12 \times 245 = 2940\text{mm}$
Depth of nosing riser 10mm	=	$1 \times 10 = 10\text{mm}$
Total length of staircase	=	$2940\text{mm} + 10\text{mm} = 2950\text{mm}$

### CALCULATING A SINGLE WINDER

Deduct the winder box treads (3) and the nosing (1) from your overall total treads required. This will then give you the remaining number of straight treads you require.



Multiply the number of straight treads that you require, if any, before the winder box by the going (245mm)

Obtain your chosen winder box size from the measurements listed in the winder box section.


Multiply the number of straight treads that you require, if any, after the winder box by the going (245mm)

Add to this the nosing (10mm)

#### Example 1:

Floor to floor	=	2660mm	
Number of Treads	=	13 including the nosing	
Tread 245mm	=	$4 \times 245\text{mm} = 980\text{mm}$	4 treads}
900mm wide winder	=	$932\text{mm} \times 932\text{mm}$	3 treads }
Tread 245mm	=	$5 \times 245\text{mm} = 1225\text{mm}$	5 treads } total 13
Nosing riser 10mm	=	$1 \times 10 = 10\text{mm}$	1 tread }
Length of staircase	=	$980\text{mm} + 932\text{mm} = 1912\text{mm}$	
Length of staircase	=	$932\text{mm} + 1225\text{mm} + 10\text{mm} = 2167\text{mm}$	

## KwikStairs DOMESTIC STAIRS CALCULATOR




### Example 2:

Floor to floor	=	2660mm	
Number of treads	=	13 including the nosing	
800mm wide winder	=	832mm x 832mm	3 treads }
Tread 245mm	=	9 x 245mm = 2205mm	9 treads }
Nosing riser 10mm	=	1 x 10 = 10mm	1 tread }
Length of staircase	=	832mm = 832mm	
Length of staircase	=	832mm + 2205mm + 10mm = 3047mm	

### CALCULATING A DOUBLE WINDER

Deduct both the winder box treads (6) and the nosing (1) from your overall total treads required. This will then give you the remaining number of straight treads that you require. Multiply the number of straight treads that you require, if any, before the first winder box by the going (245mm).




### Example 1:

Floor to floor	=	2660mm	
Number of Treads	=	13 including the nosing	
Tread 245mm	=	2 x 245mm = 490mm	2 treads }
900mm wide winder	=	932mm x 932mm	3 treads }
Tread 245mm	=	3 x 245mm = 735mm	3 treads }
900mm wide winder	=	932mm x 932mm	3 treads }
Tread 245mm	=	1 x 245mm = 245mm	1 tread }
Nosing riser 10mm	=	1 x 10 = 10mm	1 tread }
Length of staircase	=	490mm + 932mm = 1422mm	
Length of staircase	=	932mm + 735mm + 932mm = 2599mm	
Length of staircase	=	932mm + 245mm + 10mm = 1187mm	



## KwikStairs DOMESTIC STAIRS CALCULATOR

### CALCULATING A DOUBLE WINDER



#### Example 2:

Floor to floor	=	2660mm	
Number of Treads	=	13 including the nosing	
Tread 245mm	=	3 x 245mm = 735mm	3 treads }
800mm wide winder	=	832mm x 832mm	3 treads }
800mm wide winder	=	832mm x 832mm	3 treads }
			total 13
Tread 245mm	=	3 x 245mm = 735mm	3 treads }
Nosing riser 10mm	=	1 x 10 = 10mm	1 tread }
Length of staircase	=	735mm + 832mm	= 1567mm
Length of staircase	=	832mm + 832mm	= 1664mm
Length of staircase	=	832mm + 735mm + 10mm	= 1577mm



### HEAD HEIGHT

Your staircase must always have a clearance of 2 metres from the 'pitch line' as illustrated below. This makes an allowance for health and safety guidelines when ascending or descending the staircase.

### Accredited Domestic Stair

Domestic stair. To achieve this level of accreditation, a company must comply with the BWF Code of Conduct, and formally declare that their stairs comply with the relevant standards for manufacture by test, or other evidence that they comply with the Building Regulations. The declaration and the FPC System will be assessed by the BWF's Technical Manager, as the Scheme's auditor.



## Straight Flight Kit

2 x Scandinavian softwood strings	220mm x 27mm x 4500mm
12 x MDF treads	22mm thick x 846mm x 265 overall
1 x MDF nosing	22mm thick x 846mm x 100 overall
13 x MDF risers	9mm thick x 846mm x 230mm
26 x softwood support blocks	
1 x pot of glue, screws, instructions & Template	

## Winder Kit

2 x Scandinavian softwood strings	1 x 750mm x 932mm x 27mm 1 x 500mm x 905mm x 27mm
1 x softwood newel post	90mm x 90mm x 1130mm (with support blocks attached)
3x MDF winder treads	22mm thick, shaped to suit
3x MDF risers	9mm thick, suitable for each tread
1 x pot of glue, screws, instructions	
3 x Templates	

## Oak Straight Flight Kit

2 x Engineered Solid Oak strings	220mm x 27mm x 4500mm
12 x Engineered Oak Treads (MDF Centre core)	22mm thick x 845mm x 265mm overall
1 x Engineered Oak Nosing (MDF Centre core)	22mm thick x 845mm x 100mm overall
13 x Oak Veneered MDF risers	18mm thick x 846mm x 230mm
26 x Tulip wood 'L' shaped support brackets	
1 x Pot glue, Screws, Instructions and 1 x Template	

## Oak Winder Kit

2 x Engineered Solid Oak Strings	1 x 750mm x 932mm x 27mm 1 x 500mm x 905mm x 27mm
1 x Engineered Solid Oak Newel post	1 x 90mm x 90mm x 1130mm (With support brackets attached)
3 x Engineered Oak winder treads (MDF Centre core)	22mm thick, Shaped to suit
3 x Oak Veneered MDF Risers	18mm thick, Suitable for each tread
4 x Tulip wood shaped support brackets	
1 x Pot glue, 2m edging Veneer, Screws, Instructions and 3 x Templates	

# KwikStairs ONLINE

The image shows a laptop screen displaying the KwikStairs website. Red arrows point from text labels to specific features on the website:

- Technical Info**: Points to the 'Technical Info' link in the top navigation bar.
- F.A.Q's**: Points to the 'FAQs' link in the top navigation bar.
- Straight flight help videos**: Points to the 'Straight Flight Fast Assembly Video' button on the left side of the main content area.
- Winder help video's**: Points to the 'Winder Flight Fast Assembly Video' button on the right side of the main content area.
- Full instructions online**: Points to the 'View Instructions' button below the 'Straight Flight Fast Assembly Video' button.
- Over 1000 stair design options all with sizes attached**: Points to the grid of stair design options in the center of the page.
- Find local stockists**: Points to the 'Find Local Stockists' button below the 'Winder Flight Fast Assembly Video' button.

The website layout includes a top navigation bar with links: About, Products, Technical Info, Help Videos, FAQs, Find a Stockist, and Contact Us. The main content area features a central grid of stair design options with images and labels like 'Straight Flight', 'Single Winder', 'Double Winder', '18" Shaped Winder', '1/4 Landing', and '1/2 Landing'. Each option includes a model number and 'VAT'.

www.kwikstairs.co.uk

www.kwikstairs.co.uk

# **KwikStairs** *ON THE GO*



- **HELP VIDEO'S AVAILABLE**
- **DOWNLOAD/READ INSTRUCTIONS**
- **OVER 1000 STAIR DESIGNS WITH SIZES**
- **AT *SPEED* FOR MOBILES**

**www.kwikstairs.co.uk**

# KwikStairs

## PRODUCTS



Now available in  
**OAK**

L/H Winder



Now available in  
**OAK**


Straight Flight



Now available in  
**OAK**

R/H Winder

### KwikNewel



Now available in  
**OAK**


Short Newel



Now available in  
**OAK**

Bullnose Kit

### KwikNewel



Now available in  
**OAK**

Long Newel

## [www.kwikstairs.co.uk](http://www.kwikstairs.co.uk)

Kwikstairs are the only company that have the patented technology to supply these revolutionary staircases

Manufactured and Distributed By: **SAM**<sup>®</sup>

Newpark Industrial Estate, Greystone Road, Antrim, Northern Ireland. BT41 2RU

Tel: 028 9442 8288 Fax: 028 9442 8244 [www.sammouldings.co.uk](http://www.sammouldings.co.uk)

## Technical Helpline: 07999 579729