



# SAM<sup>®</sup>

HOME OF MDF MOULDINGS

## STOCK LISTING

Over 300 profiles available

ISSUE 3

[SHOP.SAMMOULDINGS.CO.UK](https://shop.sammouldings.co.uk)

Fast track delivery –  
over 300 profiles always available.

The SAM stock range has been carefully chosen to give you a wide selection of the most popular, in demand products on the market.

Choose from a range of skirting, architrave, window board, door lining, decorative mouldings, wall panelling, external cladding, fascia and soffit.

Whether you are designing a contemporary or traditional space, we have high quality MDF profiles to suit all tastes.



Skirting & Architrave



Skirting & Architrave

SAM23

Pencil Round One Edge

Radius: 6mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|----------------|-----------|------------|------------------|
| 14.5           | 44         | 2.1        | Primed         | 440       | 110        | 50               |
| 14.5           | 44         | 4.2        | Primed         | 330       | 110        | 50               |
| 14.5           | 44         | 4.2        | Fully Finished | 352       | 88         | 88               |
| 14.5           | 69         | 4.2        | Primed         | 252       | 84         | 42               |
| 14.5           | 94         | 4.2        | Primed         | 220       | 55         | 30               |
| 14.5           | 94         | 4.2        | Fully Finished | 220       | 55         | 55               |
| 14.5           | 119        | 4.2        | Primed         | 180       | 36         | 20               |
| 18             | 44         | 4.2        | Primed         | 330       | 110        | 50               |
| 18             | 69         | 4.2        | Primed         | 252       | 84         | 42               |
| 18             | 94         | 4.2        | Primed         | 220       | 55         | 30               |
| 18             | 119        | 4.2        | Primed         | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed         | 140       | 28         | 16               |
| 12             | 44         | 5.49       | Primed         | 330       | 110        | 50               |
| 12             | 94         | 5.49       | Primed         | 264       | 132        | 36               |
| 14.5           | 44         | 5.49       | Primed         | 330       | 110        | 50               |
| 14.5           | 57         | 5.49       | Primed         | 324       | 108        | 54               |
| 14.5           | 69         | 5.49       | Primed         | 252       | 84         | 42               |
| 14.5           | 94         | 5.49       | Primed         | 220       | 55         | 30               |
| 14.5           | 119        | 5.49       | Primed         | 180       | 72         | 20               |
| 14.5           | 144        | 5.49       | Primed         | 140       | 56         | 16               |
| 18             | 44         | 5.49       | Primed         | 330       | 110        | 50               |
| 18             | 57         | 5.49       | Primed         | 324       | 108        | 54               |
| 18             | 69         | 5.49       | Primed         | 252       | 84         | 42               |
| 18             | 94         | 5.49       | Primed         | 220       | 55         | 30               |
| 18             | 119        | 5.49       | Primed         | 180       | 36         | 20               |
| 18             | 144        | 5.49       | Primed         | 140       | 28         | 16               |



SAM24

Pencil Round Two Edge

Radius: 6mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 44         | 4.2        | Primed | 330       | 110        | 50               |
| 14.5           | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 12             | 44         | 5.49       | Primed | 330       | 110        | 50               |
| 12             | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 14.5           | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 18             | 57         | 5.49       | Primed | 324       | 108        | 54               |

SAM01  
Square Edge

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 14.5              | 94            | 4.2           | Primed | 220          | 55            | 30                  |
| 14.5              | 119           | 4.2           | Primed | 180          | 72            | 20                  |
| 12                | 97            | 5.49          | Primed | 264          | 132           | 36                  |
| 14.5              | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 14.5              | 100           | 5.49          | Primed | 200          | 100           | 30                  |
| 14.5              | 119           | 5.49          | Primed | 180          | 72            | 20                  |
| 14.5              | 144           | 5.49          | Primed | 140          | 56            | 16                  |
| 18                | 44            | 5.49          | Primed | 330          | 110           | 50                  |
| 18                | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 18                | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 18                | 100           | 5.49          | Primed | 200          | 100           | 30                  |
| 18                | 119           | 5.49          | Primed | 180          | 36            | 20                  |
| 18                | 144           | 5.49          | Primed | 140          | 28            | 16                  |

SAM04  
Square Edge  
Radius: 1.5mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 69            | 2.1           | Primed | 280          | 140           | 42                  |
| 18                | 94            | 2.4           | Primed | 220          | 55            | 55                  |
| 14.5              | 44            | 4.2           | Primed | 330          | 110           | 50                  |
| 14.5              | 69            | 4.2           | Primed | 252          | 84            | 42                  |
| 18                | 44            | 4.2           | Primed | 330          | 110           | 50                  |
| 18                | 69            | 4.2           | Primed | 252          | 84            | 42                  |
| 18                | 94            | 4.2           | Primed | 220          | 55            | 30                  |
| 18                | 119           | 4.2           | Primed | 180          | 36            | 20                  |
| 18                | 144           | 4.2           | Primed | 140          | 28            | 16                  |
| 12                | 32            | 5.49          | Primed | 640          | 160           | 80                  |
| 12                | 44            | 5.49          | Primed | 330          | 110           | 50                  |
| 12                | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 12                | 97            | 5.49          | Primed | 264          | 132           | 36                  |
| 14.5              | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 14.5              | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 14.5              | 144           | 5.49          | Primed | 140          | 56            | 16                  |
| 18                | 44            | 5.49          | Primed | 330          | 110           | 50                  |
| 18                | 69            | 5.49          | Primed | 252          | 84            | 42                  |



Profiles pictured: SAM04 Square Edge



SAM09

Torus  
Moulded width: 32mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 69         | 2.1        | Primed | 280       | 140        | 42               |
| 14.5           | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 18             | 57         | 4.2        | Primed | 324       | 108        | 54               |
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |
| 18             | 169        | 4.2        | Primed | 72        | 36         | 9                |
| 14.5           | 57         | 5.49       | Primed | 324       | 108        | 54               |
| 14.5           | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 14.5           | 94         | 5.49       | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 5.49       | Primed | 180       | 72         | 20               |
| 14.5           | 194        | 5.49       | Primed | 60        | 30         | 5                |
| 18             | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 18             | 119        | 5.49       | Primed | 180       | 36         | 20               |
| 18             | 144        | 5.49       | Primed | 140       | 28         | 16               |



SAM3166

Torus  
Moulded width: 33mm


| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|----------------|-----------|------------|------------------|
| 18             | 69         | 2.1        | Fully Finished | 280       | 140        | 140              |
| 18             | 119        | 4.2        | Fully Finished | 180       | 36         | 36               |
| 18             | 144        | 4.2        | Fully Finished | 140       | 28         | 28               |
| 18             | 169        | 4.2        | Fully Finished | 72        | 36         | 36               |



SAM1440

Torus  
Radius: 34mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH           | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|------------------|-----------|------------|------------------|
| 18             | 69         | 4.2        | White Oak Veneer | 252       | 84         | 42               |
| 18             | 119        | 4.2        | White Oak Veneer | 180       | 36         | 55               |



Profiles pictured: SAM09 Torus

SAM93

Ogee  
Moulded width: 45mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 69            | 2.1           | Primed | 280          | 140           | 42                  |
| 18                | 57            | 4.2           | Primed | 324          | 108           | 54                  |
| 18                | 69            | 4.2           | Primed | 252          | 84            | 42                  |
| 18                | 119           | 4.2           | Primed | 180          | 36            | 20                  |
| 18                | 144           | 4.2           | Primed | 140          | 28            | 16                  |
| 18                | 169           | 4.2           | Primed | 72           | 36            | 9                   |
| 14.5              | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 14.5              | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 14.5              | 144           | 5.49          | Primed | 140          | 56            | 16                  |
| 18                | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 18                | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 18                | 119           | 5.49          | Primed | 180          | 36            | 20                  |
| 18                | 144           | 5.49          | Primed | 140          | 28            | 16                  |
| 18                | 169           | 5.49          | Primed | 72           | 36            | 9                   |

SAM90

Ogee  
Moulded width: 37mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH         | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|----------------|--------------|---------------|---------------------|
| 18                | 69            | 2.1           | Fully Finished | 280          | 140           | 140                 |
| 18                | 144           | 4.2           | Fully Finished | 140          | 28            | 28                  |
| 18                | 169           | 4.2           | Fully Finished | 72           | 36            | 36                  |

SAM15

Ogee  
Moulded width: 42mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 14.5              | 69            | 4.2           | Primed | 252          | 84            | 42                  |
| 14.5              | 94            | 4.2           | Primed | 220          | 55            | 30                  |
| 14.5              | 119           | 4.2           | Primed | 180          | 72            | 20                  |
| 14.5              | 144           | 4.2           | Primed | 140          | 56            | 16                  |

SAM97

Ogee  
Moulded width: 26mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 14.5              | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 14.5              | 144           | 5.49          | Primed | 140          | 56            | 16                  |

SAM98

Ogee & Bead  
Moulded width: 26mm / Bead width: 14mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 14.5              | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 14.5              | 94            | 5.49          | Primed | 220          | 55            | 30                  |

SAM1441

Ogee  
Moulded width: 46mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH           | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|------------------|--------------|---------------|---------------------|
| 18                | 69            | 4.2           | White Oak Veneer | 252          | 84            | 42                  |
| 18                | 119           | 4.2           | White Oak Veneer | 180          | 36            | 20                  |



**SAM22**

Chamfer & Round

Chamfer width: 32mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 44         | 4.2        | Primed | 330       | 110        | 50               |
| 14.5           | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 4.2        | Primed | 180       | 72         | 20               |
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |
| 14.5           | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 14.5           | 94         | 5.49       | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 5.49       | Primed | 180       | 72         | 20               |
| 14.5           | 144        | 5.49       | Primed | 140       | 56         | 16               |
| 18             | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 18             | 94         | 5.49       | Primed | 220       | 55         | 30               |
| 18             | 119        | 5.49       | Primed | 180       | 36         | 20               |
| 18             | 144        | 5.49       | Primed | 140       | 28         | 16               |
| 18             | 169        | 5.49       | Primed | 72        | 36         | 9                |



**SAM26**

Chamfer & Round

Chamfer width: 38mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 18             | 94         | 5.49       | Primed | 220       | 55         | 30               |
| 18             | 119        | 5.49       | Primed | 180       | 36         | 20               |
| 18             | 144        | 5.49       | Primed | 140       | 28         | 16               |



**SAM1959**

Chamfer & Round

Moulded width: 23mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|----------------|-----------|------------|------------------|
| 18             | 69         | 2.1        | Fully Finished | 280       | 140        | 140              |
| 18             | 144        | 4.2        | Fully Finished | 140       | 28         | 28               |
| 18             | 169        | 4.2        | Fully Finished | 72        | 36         | 36               |



**SAM5061**

Chamfered

Chamfer dimensions (mm): 6 x 6

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |



**SAM5062**

Chamfered

Chamfer dimensions (mm): 10 x 10

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |



**SAM5059**

Single Groove

Groove dimensions (mm): 5 x 5 (20mm from edge)

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |

SAM5060

Single Groove

Groove dimensions (mm): 15 x 5 (20 mm from edge)

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |

SAM27

Ovolo

Moulded width: 35mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|----------------|-----------|------------|------------------|
| 14.5           | 57         | 4.2        | Primed         | 324       | 108        | 54               |
| 14.5           | 69         | 4.2        | Primed         | 252       | 84         | 42               |
| 14.5           | 94         | 4.2        | Primed         | 220       | 55         | 30               |
| 14.5           | 119        | 4.2        | Primed         | 180       | 72         | 20               |
| 14.5           | 144        | 4.2        | Primed         | 140       | 56         | 16               |
| 18             | 57         | 4.2        | Primed         | 324       | 108        | 54               |
| 18             | 69         | 4.2        | Primed         | 252       | 84         | 42               |
| 18             | 69         | 4.2        | Fully Finished | 252       | 84         | 84               |
| 18             | 119        | 4.2        | Primed         | 180       | 36         | 20               |
| 18             | 119        | 4.2        | Fully Finished | 180       | 36         | 36               |
| 18             | 144        | 4.2        | Fully Finished | 140       | 28         | 28               |
| 18             | 169        | 4.2        | Fully Finished | 72        | 36         | 36               |
| 14.5           | 57         | 5.49       | Primed         | 324       | 108        | 54               |
| 14.5           | 94         | 5.49       | Primed         | 220       | 55         | 30               |
| 14.5           | 119        | 5.49       | Primed         | 180       | 72         | 20               |

SAM20

Bullnose

Radius: 10mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 44         | 2.1        | Primed | 330       | 110        | 50               |
| 14.5           | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |

SAM29

Bullnose

Radius: 20mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 44         | 2.1        | Primed | 330       | 110        | 50               |
| 14.5           | 44         | 4.2        | Primed | 330       | 110        | 50               |
| 14.5           | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |

SAM1855

Bullnose

Radius: 17mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|----------------|-----------|------------|------------------|
| 18             | 69         | 2.1        | Fully Finished | 280       | 140        | 140              |
| 18             | 144        | 4.2        | Fully Finished | 140       | 28         | 28               |
| 18             | 169        | 4.2        | Fully Finished | 72        | 36         | 36               |

SAM4288

Round & V-Groove

Radius: 2mm / V-Groove dimensions (mm): (w)3 x (d)3

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 14.5           | 119        | 4.2        | Primed | 180       | 72         | 20               |
| 18             | 69         | 4.2        | Primed | 252       | 84         | 42               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |



**SAM2975**  
Chamfer & Single V-Groove  
Chamfer dimensions (mm): 5 x 5  
V-Groove dimensions (mm): (w)6 x (d)3

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 14.5              | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 18                | 69            | 5.49          | Primed | 252          | 84            | 42                  |



**SAM2984**  
Chamfer & Double V-Groove  
Chamfer dimensions (mm): 5 x 5  
V-Groove dimensions (mm): (w)6 x (d)3

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 14.5              | 119           | 5.49          | Primed | 180          | 72            | 20                  |



**SAM28**  
Lambs Tongue  
Moulded width: 34mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 69            | 4.2           | Primed | 252          | 84            | 42                  |
| 18                | 119           | 4.2           | Primed | 180          | 36            | 20                  |
| 18                | 144           | 4.2           | Primed | 140          | 28            | 16                  |



**SAM10**  
Moulded  
Moulded width: 45mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 69            | 5.49          | Primed | 252          | 84            | 42                  |
| 18                | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 18                | 119           | 5.49          | Primed | 180          | 36            | 20                  |
| 18                | 144           | 5.49          | Primed | 140          | 28            | 16                  |



**SAM5219**  
Chamfer Stepped  
Moulded width: 50mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 22                | 69            | 5.49          | Primed | 224          | 56            | 56                  |
| 22                | 144           | 5.49          | Primed | 84           | 28            | 28                  |



**SAM4887**  
Edwardian  
Moulded width: 51.5mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 18                | 144           | 5.49          | Primed | 140          | 28            | 16                  |



**SAM3518**  
Georgian  
Moulded width: 48mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 94            | 4.4           | Primed | 220          | 55            | 30                  |
| 18                | 144           | 4.2           | Primed | 140          | 28            | 16                  |



**SAM3525**  
Victorian  
Moulded width: 93.5mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 100           | 4.2           | Primed | 200          | 100           | 30                  |

SAM3526

Victorian  
Moulded with: 110mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 180           | 4.2           | Primed | 60           | 30            | 30                  |

SAM5650

Classic  
Moulded width: 85mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 144           | 5.49          | Primed | 140          | 28            | 16                  |
| 18                | 194           | 5.49          | Primed | 60           | 20            | 5                   |

SAM5651

Classic  
Moulded width: 70mm

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 94            | 5.49          | Primed | 220          | 55            | 30                  |
| 18                | 119           | 5.49          | Primed | 180          | 36            | 20                  |

Profiles pictured: SAM502 Hockey Stick, SAM27 Ovolo

Hockey Stick

Decorative architrave trim

SAM1151

Hockey Stick

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 30                | 30            | 5.1           | Primed | 448          | 112           | 112                 |

SAM502

Hockey Stick

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 32            | 5.49          | Primed | 396          | 132           | 132                 |



## Dual Purpose Skirting

Dual sided skirting board offering two profiles in one

### SAM2156

Dual Purpose: Torus (SAM09) / Ogee (SAM93)

Moulded width: 32mm / Moulded width: 45mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |
| 18             | 169        | 4.2        | Primed | 72        | 36         | 9                |
| 18             | 219        | 4.2        | Primed | 60        | 20         | 5                |
| 18             | 244        | 4.2        | Primed | 48        | 20         | 4                |

### SAM2285

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)

Chamfer width: 32mm / Radius: 6mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |

### SAM2574

Dual Purpose: Chamfer & Round (SAM22) / Pencil Round (SAM23)

Chamfer width: 32mm / Radius: 6mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 14.5           | 144        | 4.2        | Primed | 140       | 56         | 16               |

### SAM5378

Dual Purpose: Ovolo (SAM27) / Round & V-Groove (SAM4288)

Moulded width: 35mm / Radius: 2mm & V-Groove dimensions (mm): (w)3 x (d)3

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 119        | 4.2        | Primed | 180       | 36         | 20               |

### SAM5379

Dual Purpose: Grooved (SAM5059) / Round & V-Groove (SAM4288)

Groove dimensions (mm): 5 x 5 (20mm from edge) / Radius:

2mm & V-Groove dimensions (mm): (w)3 x (d)3

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 14.5           | 144        | 4.2        | Primed | 140       | 56         | 16               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |

### SAM5381

Dual Purpose: Pencil Round (SAM23) / Ovolo (SAM27)


Radius: 6mm / Moulded width: 35mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 4.2        | Primed | 180       | 36         | 20               |




**SAM5383**  
Dual Purpose: Square Edge (SAM04) / Grooved (SAM5059)  
Radius: 1.5mm / Groove dimensions (mm): 5 x 5 (20mm from edge)

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |



**SAM5439**  
Dual Purpose: Ogee (SAM93) / Ogee (SAM97)  
Moulded width: 44mm / Moulded width: 26mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 94         | 5.49       | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 5.49       | Primed | 180       | 72         | 20               |
| 14.5           | 144        | 5.49       | Primed | 140       | 56         | 16               |




**SAM5440**  
Dual Purpose: Torus (SAM09) / Chamfer & Round (SAM22)  
Moulded width: 32mm / Chamfer width: 32mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 14.5           | 144        | 4.2        | Primed | 140       | 56         | 16               |



**SAM5441**  
Dual Purpose: Ovolo (SAM27) / Bullnose (SAM29)  
Moulded width: 35mm / Radius: 20mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 14.5           | 144        | 4.2        | Primed | 140       | 56         | 16               |



**SAM5442**  
Dual Purpose: Chamfer (SAM5061) / Chamfer & Round (SAM22)  
Chamfer width: 6mm / Chamfer width: 32mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |



**SAM5382**  
Dual Purpose: Round and V Groove (SAM4288) / Chamfer & Round (SAM22)  
Radius: 2mm, V-Groove 3x3mm / Chamfer width: 32mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |



**SAM5443**  
Dual Purpose: Square Edge (SAM04) / Pencil Round (SAM23)  
Radius: 1.5mm / Radius: 5mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 12             | 94         | 5.49       | Primed | 264       | 72         | 36               |
| 14.5           | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 14.5           | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 14.5           | 144        | 4.2        | Primed | 140       | 56         | 16               |
| 18             | 94         | 4.2        | Primed | 220       | 55         | 30               |
| 18             | 119        | 4.2        | Primed | 180       | 36         | 20               |
| 18             | 144        | 4.2        | Primed | 140       | 28         | 16               |



Profiles pictured: SAM5651 Classic, SAM37 Dado Rail, SAM3770 Cornice

Decorative Mouldings

SAM3031

Cornice

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 115           | 5.49          | Primed | 180          | 36            | 36                  |

SAM3770

Cornice

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 12                | 77            | 5.49          | Primed | 264          | 44            | 44                  |

SAM37

Dado Rail

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 44            | 4.2           | Primed | 330          | 110           | 110                 |

SAM85


Dado Rail

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 57            | 2.4           | Primed | 324          | 108           | 108                 |

SAM4152

Picture Rail

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH | FULL<br>PACK | TRADE<br>PACK | MIXED LAYER<br>PACK |
|-------------------|---------------|---------------|--------|--------------|---------------|---------------------|
| 18                | 44            | 2.4           | Primed | 330          | 110           | 110                 |



**SK01C**  
Chamfered Plinth Block  
3 x 3mm chamfer

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 25             | 125        | 0.104      | Primed | X         | X          | X                |
| 25             | 175        | 0.104      | Primed | X         | X          | X                |

**AR01C**  
Chamfered Architrave Block

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 25             | 104        | 0.104      | Primed | X         | X          | X                |



Profiles pictured: SAM3012 Tongue & Groove, SAM85 Dado Rail

Wall Panelling



**SAM3012**  
Tongue & Groove  
TG & V

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|----------------|-----------|------------|------------------|
| 9              | 94         | 2.4        | Primed         | 264       | 44         | 44               |
| 12             | 94         | 0.9        | Fully Finished | 396       | 198        | 198              |
| 9              | 94         | 2.44       | Fully Finished | 264       | 132        | 132              |
| 9              | 144        | 2.44       | Fully Finished | 168       | 84         | 84               |

**SAM01**  
Square Edge

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 12             | 97         | 5.49       | Primed | 264       | 132        | 36               |
| 14.5           | 94         | 5.49       | Primed | 220       | 55         | 30               |



**SAM04**  
Square Edge  
Radius: 1.5mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 12             | 32         | 5.49       | Primed | 640       | 160        | 80               |
| 12             | 44         | 5.49       | Primed | 330       | 110        | 50               |
| 12             | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 12             | 97         | 5.49       | Primed | 264       | 132        | 36               |
| 14.5           | 69         | 5.49       | Primed | 252       | 84         | 42               |
| 14.5           | 94         | 5.49       | Primed | 220       | 55         | 30               |



**SAM5561**

Grooved

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH |
|-------------------|---------------|---------------|--------|
| 9                 | 607           | 2.44          | Primed |



**SAM5562**

Mink Chestnut

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH           |
|-------------------|---------------|---------------|------------------|
| 10                | 595           | 2.44          | Woodgrain Effect |



**SAM5563**

Natural Gold

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH           |
|-------------------|---------------|---------------|------------------|
| 10                | 595           | 2.44          | Woodgrain Effect |



**SAM5564**

Chocolate Oak

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH           |
|-------------------|---------------|---------------|------------------|
| 10                | 595           | 2.44          | Woodgrain Effect |



**SAM5565**

Charcoal Chestnut

| THICKNESS<br>(MM) | WIDTH<br>(MM) | LENGTH<br>(M) | FINISH           |
|-------------------|---------------|---------------|------------------|
| 10                | 595           | 2.44          | Woodgrain Effect |



Profiles pictured: SAM53 Window Board, SAM5650 Classic

Window Board

SAM50

Window Board  
Bullnosed & Rebated

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 18             | 194        | 5.49       | Primed | 60        | 20         | 5                |
| 18             | 219        | 5.49       | Primed | 60        | 20         | 5                |
| 18             | 244        | 5.49       | Primed | 48        | 20         | 4                |

SAM52

Window Board  
Bullnosed & Rebated

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 25             | 194        | 3.66       | Primed | 40        | 10         | 5                |
| 25             | 219        | 3.66       | Primed | 40        | 10         | 5                |
| 25             | 244        | 3.66       | Primed | 40        | 8          | 4                |
| 25             | 269        | 3.66       | Primed | 40        | 8          | 4                |
| 25             | 294        | 3.66       | Primed | 40        | 8          | 4                |
| 25             | 194        | 5.49       | Primed | 40        | 20         | 5                |
| 25             | 219        | 5.49       | Primed | 40        | 10         | 5                |
| 25             | 244        | 5.49       | Primed | 40        | 12         | 4                |
| 25             | 269        | 5.49       | Primed | 40        | 12         | 4                |
| 25             | 294        | 5.49       | Primed | 40        | 12         | 4                |

SAM53

Extra Wide Window Board  
Bullnosed

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 25             | 345        | 3.66       | Primed | 36        | 18         | 9                |
| 25             | 394        | 3.66       | Primed | 36        | 18         | 9                |

Door Linings & Stops

SAM04 (Set)

Square Edge adjustable door lining set  
2 legs and adjustable head supplied with door stops to suit  
Suitable for all standard door sizes

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 25             | 108        | —          | Primed | 54        | 18         | 5                |
| 25             | 132        | —          | Primed | 48        | 16         | 4                |

SAM04 (Lining)

Square Edge door lining  
Radius: 1.5mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 25             | 94         | 2.1        | Primed | 176       | 44         | 10               |
| 25             | 155        | 2.1        | Primed | 72        | 24         | 8                |

SAM04 (Stop)

Square Edge door stop  
Radius: 1.5mm

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH | FULL PACK | TRADE PACK | MIXED LAYER PACK |
|----------------|------------|------------|--------|-----------|------------|------------------|
| 12             | 32         | 5.49       | Primed | 640       | 160        | 80               |
| 12             | 44         | 5.49       | Primed | 330       | 110        | 110              |
| 12             | 97         | 5.49       | Primed | 264       | 132        | 36               |



SAM Trimax External Cladding, Fascia and Soffit

External Cladding



External Cladding

Manufactured using MEDITE TRICOYA EXTREME

SAM4460

Tongue & Groove (TG&V)  
Brushed Texture

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR          | RAL NUMBER |
|----------------|------------|------------|----------------|-----------------|------------|
| 12             | 294        | 4.88       | Primed         | Silk Grey       | RAL7044    |
| 12             | 294        | 4.88       | Fully Finished | Silk Grey       | RAL7044    |
| 12             | 294        | 4.88       | Fully Finished | Traffic White   | RAL9016    |
| 12             | 294        | 4.88       | Fully Finished | Anthracite Grey | RAL7016    |



SAM5557

Tongue & Groove (TG&V)  
Brushed Texture

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR          | RAL NUMBER |
|----------------|------------|------------|----------------|-----------------|------------|
| 12             | 244        | 4.88       | Primed         | Silk Grey       | RAL7044    |
| 12             | 244        | 4.88       | Fully Finished | Silk Grey       | RAL7044    |
| 12             | 244        | 4.88       | Fully Finished | Traffic White   | RAL9016    |
| 12             | 244        | 4.88       | Fully Finished | Anthracite Grey | RAL7016    |



SAM5558

Tongue & Groove (TG&V)  
Brushed Texture

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR          | RAL NUMBER |
|----------------|------------|------------|----------------|-----------------|------------|
| 12             | 194        | 4.88       | Primed         | Silk Grey       | RAL7044    |
| 12             | 194        | 4.88       | Fully Finished | Silk Grey       | RAL7044    |
| 12             | 194        | 4.88       | Fully Finished | Traffic White   | RAL9016    |
| 12             | 194        | 4.88       | Fully Finished | Anthracite Grey | RAL7016    |



**SAM3717**  
Double Shiplap  
Brushed Texture

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR          | RAL NUMBER |
|----------------|------------|------------|----------------|-----------------|------------|
| 12             | 294        | 4.88       | Primed         | Silk Grey       | RAL7044    |
| 12             | 294        | 4.88       | Fully Finished | Silk Grey       | RAL7044    |
| 12             | 294        | 4.88       | Fully Finished | Traffic White   | RAL9016    |
| 12             | 294        | 4.88       | Fully Finished | Anthracite Grey | RAL7016    |



**SAM5555**  
Double Shiplap  
Brushed Texture

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR          | RAL NUMBER |
|----------------|------------|------------|----------------|-----------------|------------|
| 12             | 244        | 4.88       | Primed         | Silk Grey       | RAL7044    |
| 12             | 244        | 4.88       | Fully Finished | Silk Grey       | RAL7044    |
| 12             | 244        | 4.88       | Fully Finished | Traffic White   | RAL9016    |
| 12             | 244        | 4.88       | Fully Finished | Anthracite Grey | RAL7016    |



**SAM5556**  
Double Shiplap  
Brushed Texture


| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR          | RAL NUMBER |
|----------------|------------|------------|----------------|-----------------|------------|
| 12             | 194        | 4.88       | Primed         | Silk Grey       | RAL7044    |
| 12             | 194        | 4.88       | Fully Finished | Silk Grey       | RAL7044    |
| 12             | 194        | 4.88       | Fully Finished | Traffic White   | RAL9016    |
| 12             | 194        | 4.88       | Fully Finished | Anthracite Grey | RAL7016    |



**Fascia & Soffit** Manufactured using MEDITE TRICOYA EXTREME

**SAM5293**  
Fascia  
Smooth Texture

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR        | RAL NUMBER |
|----------------|------------|------------|----------------|---------------|------------|
| 15             | 175        | 4.88       | Fully Finished | Traffic White | RAL9016    |
| 15             | 225        | 4.88       | Fully Finished | Traffic White | RAL9016    |



**SAM5348**  
Soffit  
Smooth Texture

| THICKNESS (MM) | WIDTH (MM) | LENGTH (M) | FINISH         | COLOUR        | RAL NUMBER |
|----------------|------------|------------|----------------|---------------|------------|
| 12             | 150        | 4.88       | Fully Finished | Traffic White | RAL9016    |
| 12             | 225        | 4.88       | Fully Finished | Traffic White | RAL9016    |



SAM MDF mouldings imperial to metric conversion chart

| NOMINAL IMPERIAL | SAM FINISHED SIZE METRIC |
|------------------|--------------------------|
| 2 inches         | 44mm                     |
| 2¼ inches        | 57mm                     |
| 3 inches         | 69mm                     |
| 4 inches         | 94mm                     |
| 5 inches         | 119mm                    |
| 6 inches         | 144mm                    |
| 7 inches         | 169mm                    |
| 8 inches         | 194mm                    |
| 9 inches         | 219mm                    |
| 10 inches        | 244mm                    |
| 11 inches        | 269mm                    |
| 12 inches        | 294mm                    |



Ordering samples

We understand that it is important to see a physical sample of the product before placing an order. For this reason, we keep all our stock profiles (in at least one size) in the sample store to ensure quick delivery.

You can order samples on our website via the sample page. You can order up to 5 samples free of charge, further samples will require payment.



Placing an order

It is now even easier to order our products directly to your door. Simply visit our website: [shop.sammouldings.co.uk](https://shop.sammouldings.co.uk), open an account and place your order.

**Trade Account**

If you are interested in opening a trade account with us, please contact [shop@sammouldings.co.uk](mailto:shop@sammouldings.co.uk) for more information.



# SAM<sup>®</sup>

HOME OF MDF MOULDINGS



T: +44 (0)28 9442 8288

E: [SHOP@SAMMOULDINGS.CO.UK](mailto:SHOP@SAMMOULDINGS.CO.UK)

[SHOP.SAMMOULDINGS.CO.UK](http://SHOP.SAMMOULDINGS.CO.UK)